



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/518,343

01/05/2005

Yves Fouillet

122001

5207

25944

7590

10/02/2008

OLIFF & BERRIDGE, PLC

P.O. BOX 320850

ALEXANDRIA, VA 22320-4850

EXAMINER

LEVKOVICH, NATALIA A

ART UNIT

PAPER NUMBER

1797

MAIL DATE

DELIVERY MODE

10/02/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/518,343	Applicant(s) FOUILLET ET AL.	
	Examiner NATALIA LEVKOVICH	Art Unit 1797	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 05 January 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 22-34 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 22-34 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Drawings

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims, as well as any structural detail that is essential for a proper understanding of the disclosed invention. Therefore, the micro-fluidic structure having the trapping chambers which communicate only with the ducts (that is, not connected to any other chambers or channels - see claim 22), must be clearly shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must

Art Unit: 1797

be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance

Claim Rejections - 35 USC § 112

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. Claim 22-34 are rejected under 35 U.S.C. 112, second paragraph, as being unclear for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 22, the device "produced from a support", is unclear. Examiner assumes that the device is intended to include the support into the claimed invention. To do so, Applicant should positively recite this feature in the body of the claim. Additionally, the phrase "for example" renders the claim indefinite because it is unclear whether the limitation(s) following the phrase are part of the claimed invention. See also claims 33-34. The phrase "of the type" further renders the claim indefinite because the claim includes elements not actually disclosed (those encompassed by " of the type "), thereby rendering the scope of the claim(s) unascertainable. See MPEP § 2173.05(d).

Further, a broad range or limitation together with a narrow range or limitation that falls within the broad range or limitation (in the same claim) is considered

Art Unit: 1797

indefinite, since the resulting claim does not clearly set forth the metes and bounds of the patent protection desired. See MPEP § 2173.05(c). Note the explanation given by the Board of Patent Appeals and Interferences in *Ex parte Wu*, 10 USPQ2d 2031, 2033 (Bd. Pat. App. & Inter. 1989), as to where broad language is followed by "such as" and then narrow language. The Board stated that this can render a claim indefinite by raising a question or doubt as to whether the feature introduced by such language is (a) merely exemplary of the remainder of the claim, and therefore not required, or (b) a required feature of the claims. Note also, for example, the decisions of *Ex parte Steigewald*, 131 USPQ 74 (Bd. App. 1961); *Ex parte Hall*, 83 USPQ 38 (Bd. App. 1948); and *Ex parte Hasche*, 86 USPQ 481 (Bd. App. 1949). In the present instance, claim 22 contains the broad term "gas", and the claim also recites "air" which is the narrower statement of the range/limitation. In the same manner, the broad term "interface" is followed by the narrower term "meniscus". See also claims 30-31, with respect to the chambers being "substantially identical, in particular, in volume"; claim 32, with respect to the "support" (broad term) and the "particle" (narrow term); claim 33, with respect to the "means for oriented dissociation" and the "heating means"; and claim 34, with respect to the "retaining particles" and "magnetic particles.. Regarding the "valve bodies with no moving parts", as recited in claim 22, it is not clear what structural features of the valves would regulate the fluid flow.

In claim 24 the "capillary valve" and the "interface between the gas and the liquid of interest", lack antecedent basis. It is also unclear what structural

Art Unit: 1797

features would generate the overpressure at the interface “that opposes any displacement of the liquid beyond the valve, against the overpressure”.

In claim 25, “each capillary valve”, lacks antecedent basis. The claim also recites the valve base, “the cross section of which increases in the direction of the concavity of said meniscus when the liquid of interest is wetting, or the cross section of which decreases in the direction of said concavity when said liquid of interest is not wetting”. It is not clear what structural features would cause this change of the cross section. The “direction of the concavity”, is unclear. The “concavity”, lacks antecedency. It is also not clear how the valve base is related to the valve body of claim 22.

Regarding claim 26, it is not clear how the isolating means are inter-related with the valve bodies.

In claim 28, the “two connecting channels” lack antecedent basis.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this

Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

5. Claims 22-34 are rejected under 35 U.S.C. 102(b) as anticipated by Shartle (US 5627041).

Art Unit: 1797

Shartle discloses a fluidic circuit comprising, as illustrated in Figures 4-6, operative cavity 62; ducts 75, 76; trapping chambers 48, 49; expansion chambers 77, 78; capillary valves 44, 45 connected by connecting channel (not indexed). Examiner would like to comment that extremely unclear language of the claims does not allow more specific mapping between the cited reference and the instant claims.

Conclusion

6 Any inquiry concerning this communication or earlier communications from the examiner should be directed to Natalia Levkovich whose telephone number is 571-272-2462.

The examiner can normally be reached on Mon-Fri, 2 p.m.-10 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill Warden can be reached on 571-272-1267. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Jill Warden/
Supervisory Patent Examiner, Art Unit 1797